Drw. nr.	Contents of drawing	Date	Rev.	Rev. date
P10DM01	PRIMO Plana 10 / Basic panel	28.09.2021	a	.
P10DM02	PRIMO Plana 10 / Corner panel	28.09.2021	a	.
P10DM03	PRIMO Plana 10 / Panel edging	29.08.2022	b	.

City sector	Block	Site/Reg. nr.	File nr.	
Building type			Drawing type	Nr.
Building, Name and address			Contents of drawing PRIMO Plana 10 Dimensional drawings	Scale 1:10
RUUKKI				
Date 28.09.2021	Designer Ruukki		Work nr.	Work nr.	Drw. nr.	Rev.
Drawn by	Checked					

RUUKKI			Contents of drawing PRIMO Plana 10 Basic panel Dimensional drawing		
Date	28.09.2021	Rev. date	.	Work nr.	Drw. nr. P10DM01 Rev. a
Drawn by	Ruukki	Rev.	P01		
Scale	1:10	Building			File nr.

From 2-7 fastening holes, equally spaced, max c/c 800 mm



Horizontal joint



Vertical joint



panel depth C = 4 mm
horizontal joint Dh = 5-20 mm
vertical joint Dv = 5-20 mm
material thickness t = 4.0 mm (ACM)

Amin, Bmin = 200 mm
Horizontal max = 4995 x 1495 mm
Vertical max = 1495 x 4995 mm

Contents of drawing PRIMO Plana 10 Corner panel Dimensional drawing			
Date 28.09.2021	Rev. date .	Work nr.	Drw. nr. P10DM02 Rev. a
Drawn by Ruukki	Rev. P01		
Scale 1:10	Building		File nr.

From 2-7 fastening holes, equally spaced, max c/c 800 mm



panel depth C = 4 mm
horizontal joint Dh = 5-20 mm
vertical joint Dv = 5-20 mm
material thickness t = 4.0 mm (ACM)

Amin, Bmin = 200 mm
(A1+A2) max = 1200 mm
Horizontal max = 4995 x 1495 mm
Vertical max = 1495 x 4995 mm

RUUKKI			Contents of drawing PRIMO Plana 10 Panel edging Dimensional drawing		
Date	28.09.2021	Rev. date	29.08.2022	Work nr.	Drw. nr. P10DM03 Rev. b
Drawn by	Ruukki	Rev.	P01		
Scale	2:1	Building			File nr.

No edging



Simple edging



Surface area lost - 7 mm
Raw sheet =1250 mm
Final product = 1243 mm

Double bend



Surface area lost - 14 mm
Raw sheet =1250 mm
Final product = 1236 mm

panel depth C = 4 mm
material thickness t = 4.0 mm (ACM)