


Drw. nr.	Contents of drawing	Date	Rev.	Rev. date
CL40DE-1	Plinth, vertical section	12.08.2011	A	10.07.2019
CL40DE-2	Horizontal joint, vertical section	12.08.2011	A	10.07.2019
CL40DE-3	Vertical joint, horizontal section	12.08.2011	A	10.07.2019
CL40DE-4	Horizontal joint, vertical section	12.08.2011	A	10.07.2019
CL40DE-5	Vertical joint, horizontal section	12.08.2011	A	10.07.2019
CL40DE-6	External corner, horizontal section	12.08.2011	A	10.07.2019
CL40DE-7	External corner, horizontal section	12.08.2011	A	10.07.2019
CL40DE-8	Internal corner, horizontal section	12.08.2011	A	10.07.2019
CL40DE-9	Internal corner, horizontal section	12.08.2011	A	10.07.2019
CL40DE-10	Lower edge of window, vertical section	12.08.2011	A	10.07.2019
CL40DE-11	Upper edge of window, vertical section	12.08.2011	A	10.07.2019
CL40DE-12	Upper edge of door, vertical section	12.08.2011	A	10.07.2019
CL40DE-13	Vertical edge of window, horizontal section	12.08.2011	A	10.07.2019
CL40DE-14	Vertical edge of door, horizontal section	12.08.2011	A	10.07.2019
CL40DE-15	Side eaves, vertical section	12.08.2011	A	10.07.2019
CL40DE-16	Gable eaves, vertical section	12.08.2011	A	10.07.2019
CL40DE-17	Short eaves, vertical section	12.08.2011	A	10.07.2019
CL40DE-18	Horizontal and vertical joint, support studs fastened by adjustable fastener	12.08.2011	A	10.07.2019
City sector		Block	Site/Reg. nr.	File nr.
Building type		Drawing type		
Building, Name and address		Contents of drawing		Nr.
		Lamella sharp 40		Scale
		BASE DETAIL DRAWINGS		
Date 12.08.2011	Designer Ruukki	Work nr.	Work nr.	Drw. nr.
Drawn by	Checked			Rev.


Date 12.08.2011	Rev. date 10.07.2019	Work nr.	Drw. nr. CL40DE-1	Rev. 2
Drawn by Ruukki	Rev. A			
Scale 1:2.5	Building		File nr.	



- ☐ 1. LAMELLA SHARP 40
- ☐ 2. SUPPORT STUD CA1SS1
- ☐ 3. SCREW S3H55022L02S4B
- ☐ 4. SCREW S3H48022D02S4C
- ☐ 5. PLINTH FLASHING CA1P1X

☒ DELIVERY OF RUUKKI

Date 12.08.2011	Rev. date 10.07.2019	Work nr.	Drw. nr. CL40DE-2	Rev. 2
Drawn by Ruukki	Rev. A			
Scale 1:2.5	Building	File nr.		



- ☐ 1. LAMELLA SHARP 40
- ☐ 2. SUPPORT STUD CA1SS1
- ☐ 3. SCREW S3H55022L02S4B
- ☐ 4. SCREW S3H48022D02S4C
- ☐ 5. HORIZONTAL BRACE STRIP (for fastening studs)


☒ DELIVERY OF RUUKKI



Contents of drawing

Lamella sharp 40
Vertical joint
Horizontal section


Date 12.08.2011	Rev. date 10.07.2019	Work nr.	Drw. nr. CL40DE-3	Rev. 2
Drawn by Ruukki	Rev. A			
Scale 1:5	Building		File nr.	



- ☐ 1. LAMELLA SHARP 40
- ☐ 2. SUPPORT STUD CA1SS1
- ☐ 3. SCREW S3H55022L02S4B
- ☐ 4. SCREW S3H48022D02S4C
- ☐ 5. VERTICAL JOINT FLASHING CA1VJ6
- ☐ 6. HORIZONTAL BRACE STRIP (for fastening studs)

☒ DELIVERY OF RUUKKI


Date 12.08.2011	Rev. date 10.07.2019	Work nr.	Drw. nr. CL40DE-4	Rev. 2
Drawn by Ruukki	Rev. A			
Scale 1:2.5	Building		File nr.	



- ☐ 1. LAMELLA SHARP 40
- ☐ 2. SUPPORT STUD CA1SS1
- ☐ 3. SCREW S3H55022L02S4B
- ☐ 4. SCREW S3H48022D02S4C
- ☐ 5. JOINT PIECE CA1J1 / CA1J1X
- ☐ 6. HORIZONTAL BRACE STRIP (for fastening studs)

☒ DELIVERY OF RUUKKI


Date 12.08.2011	Rev. date 10.07.2019	Work nr.	Drw. nr. CL40DE-5	Rev. 2
Drawn by Ruukki	Rev. A			
Scale 1:5	Building		File nr.	



- ☐ 1. LAMELLA SHARP 40
- ☐ 2. SUPPORT STUD CA1SS1
- ☐ 3. SCREW S3H55022L02S4B
- ☐ 4. SCREW S3H48022D02S4C
- ☐ 5. JOINT PIECE CA1J1 / CA1J1X
- ☐ 6. HORIZONTAL BRACE STRIP (for fastening studs)

☒ DELIVERY OF RUUKKI


Date 12.08.2011	Rev. date 10.07.2019	Work nr.	Drw. nr. CL40DE-6	Rev. 2
Drawn by Ruukki	Rev. A			
Scale 1:5	Building		File nr.	



- ☐ 1. LAMELLA SHARP 40
- ☐ 2. SUPPORT STUD CORNER CA1SSC1
- ☐ 3. SCREW S3H55022L02S4B
- ☐ 4. SCREW S3H48022D02S4C
- ☐ 5. EXTERNAL CORNER FLASHING CA1EC6
- ☐ 6. HORIZONTAL BRACE STRIP (for fastening studs)

☒ DELIVERY OF RUUKKI


Date 12.08.2011	Rev. date 10.07.2019	Work nr.	Drw. nr. CL40DE-7	Rev. 2
Drawn by Ruukki	Rev. A			
Scale 1:5	Building		File nr.	



- ☐ 1. LAMELLA SHARP 40 CORNER
- ☐ 2. SUPPORT STUD CORNER CA1SSC1
- ☐ 3. SCREW S3H55022L02S4B
- ☐ 4. SCREW S3H48022D02S4C
- ☐ 5. EXTERNAL CORNER FLASHING CA1EC8
- ☐ 6. HORIZONTAL BRACE STRIP (for fastening studs)

☒ DELIVERY OF RUUKKI


Date 12.08.2011	Rev. date 10.07.2019	Work nr.	Drw. nr. CL40DE-8	Rev. 2
Drawn by Ruukki	Rev. A			
Scale 1:5	Building		File nr.	



- ☐ 1. LAMELLA SHARP 40
- ☐ 2. SUPPORT STUD CA1SS1
- ☐ 3. SCREW S3H55022L02S4B
- ☐ 4. SCREW S3H48022D02S4C
- ☐ 5. INTERNAL CORNER FLASHING CA1IC6
- ☐ 6. HORIZONTAL BRACE STRIP (for fastening studs)

☒ DELIVERY OF RUUKKI


Date 12.08.2011	Rev. date 10.07.2019	Work nr.	Drw. nr. CL40DE-9	Rev. 2
Drawn by Ruukki	Rev. A			
Scale 1:5	Building		File nr.	



- ☐ 1. LAMELLA SHARP 40 CORNER
- ☐ 2. SUPPORT STUD CA1SS1
- ☐ 3. SCREW S3H55022L02S4B
- ☐ 4. SCREW S3H48022D02S4C
- ☐ 5. INTERNAL CORNER FLASHING CA1IC9
- ☐ 6. HORIZONTAL BRACE STRIP (for fastening studs)

☒ DELIVERY OF RUUKKI


Date 12.08.2011	Rev. date 10.07.2019	Work nr.	Drw. nr. CL40DE-10	Rev. 2
Drawn by Ruukki	Rev. A			
Scale 1:2.5	Building		File nr.	



- ☐ 1. LAMELLA SHARP 40
- ☐ 2. SUPPORT STUD CA1SS1
- ☐ 3. SCREW S3H55022L02S4B
- ☐ 4. SCREW S3H48022D02S4C
- ☐ 5. STORM FLASHING CA1ST1X
- ☐ 6. SUPPORT FLASHING CA1SU1X
- ☐ 7. SILL FLASHING CA1S1X
- ☐ 8. SCREW S3H4835D02S4C

☒ DELIVERY OF RUUKKI


Date 12.08.2011	Rev. date 10.07.2019	Work nr.	Drw. nr. CL40DE-11	Rev. 2
Drawn by Ruukki	Rev. A			
Scale 1:2.5	Building		File nr.	



- ☐ 1. LAMELLA SHARP 40
- ☐ 2. SUPPORT STUD CA1SS1
- ☐ 3. SCREW S3H55022L02S4B
- ☐ 4. SCREW S3H48022D02S4C
- ☐ 5. COVER FLASHING CA1C10X
- ☐ 6. COVER FLASHING CA1C8X
- ☐ 7. SCREW S3R48022D02A0B
- ☐ 8. SEALING STRIP EA3SS410

☒ DELIVERY OF RUUKKI


Date 12.08.2011	Rev. date 10.07.2019	Work nr.	Drw. nr. CL40DE-12	Rev. 2
Drawn by Ruukki	Rev. A			
Scale 1:2.5	Building		File nr.	



- ☐ 1. LAMELLA SHARP 40
- ☐ 2. SUPPORT STUD CA1SS1
- ☐ 3. SCREW S3H55022L02S4B
- ☐ 4. SCREW S3H48022D02S4C
- ☐ 5. COVER FLASHING CA1C10X
- ☐ 6. COVER FLASHING CA1C8X
- ☐ 7. SCREW S3H4835D02S4C
- ☐ 8. SEALING STRIP EA3SS410

☒ DELIVERY OF RUUKKI


Date 12.08.2011	Rev. date 10.07.2019	Work nr.	Drw. nr. CL40DE-13	Rev. 2
Drawn by Ruukki	Rev. A			
Scale 1:2.5	Building		File nr.	



- ☐ 1. LAMELLA SHARP 40
- ☐ 2. SUPPORT STUD CA1RS1
- ☐ 3. SCREW S3H55022L02S4B
- ☐ 4. SCREW S3H48022D02S4C
- ☐ 5. COVER FLASHING CA1C3X
- ☐ 6. COVER FLASHING CA1C12X
- ☐ 7. SCREW S3R48022D02A0B
- ☐ 8. HORIZONTAL BRACE STRIP (for fastening studs)

☒ DELIVERY OF RUUKKI


Date 12.08.2011	Rev. date 10.07.2019	Work nr.	Drw. nr. CL40DE-14	Rev. 2
Drawn by Ruukki	Rev. A			
Scale 1:2.5	Building	File nr.		



- ☐ 1. LAMELLA SHARP 40
- ☐ 2. SUPPORT STUD CA1RS1
- ☐ 3. SCREW S3H55022L02S4B
- ☐ 4. SCREW S3H48022D02S4C
- ☐ 5. COVER FLASHING CA1C3X
- ☐ 6. COVER FLASHING CA1C12X
- ☐ 7. SCREW S3H4835D02S4C
- ☐ 8. HORIZONTAL BRACE STRIP (for fastening studs)

☒ DELIVERY OF RUUKKI


Date 12.08.2011	Rev. date 10.07.2019	Work nr.	Drw. nr. CL40DE-15	Rev. 2
Drawn by Ruukki	Rev. A			
Scale 1:5	Building	File nr.		



- ☐ 1. LAMELLA SHARP 40
- ☐ 2. SUPPORT STUD CA1SS1
- ☐ 3. SCREW S3H55022L02S4B
- ☐ 4. SCREW S3H48022D02S4C
- ☐ 5. STORM FLASHING CA1ST1X
- ☐ 6. EAVES FLASHING CA1E1X

☒ DELIVERY OF RUUKKI


Date 12.08.2011	Rev. date 10.07.2019	Work nr.	Drw. nr. CL40DE-16	Rev. 2
Drawn by Ruukki	Rev. A			
Scale 1:5	Building		File nr.	



- ☐ 1. LAMELLA SHARP 40
- ☐ 2. SUPPORT STUD CA1SS1
- ☐ 3. SCREW S3H55022L02S4B
- ☐ 4. SCREW S3H48022D02S4C
- ☐ 5. STORM FLASHING CA1ST1X
- ☐ 6. EAVES FLASHING CA1E1X

☒ DELIVERY OF RUUKKI


Date 12.08.2011	Rev. date 10.07.2019	Work nr.	Drw. nr. CL40DE-17	Rev. 2
Drawn by Ruukki	Rev. A			
Scale 1:2.5	Building	File nr.		



- ☐ 1. LAMELLA SHARP 40
- ☐ 2. SUPPORT STUD CA1SS1
- ☐ 3. SCREW S3H55022L02S4B
- ☐ 4. SCREW S3H48022D02S4C
- ☐ 5. STORM FLASHING CA1ST1X
- ☐ 6. EAVES FLASHING CA1E2X

☒ DELIVERY OF RUUKKI

Date 12.08.2011	Rev. date 10.07.2019	Work nr.	Drw. nr. CL40DE-18	Rev. 2
Drawn by Ruukki	Rev. A			
Scale 1:2.5	Building		File nr.	



- ☐ 1. LAMELLA SHARP 40
- ☐ 2. SUPPORT STUD CA1SS1
- ☐ 3. SCREW S3H55022L02S4B
- ☐ 4. SCREW S3H48022D02S4C
- ☐ 5. ADJUSTABLE FASTENER CAFRSP
- ☐ 6. FASTENER

☒ DELIVERY OF RUUKKI