



Design Panel DP V4

Sandwich-paneelidest nurgalahendus V4 on sobilik vertikaalseks paigaldamiseks. See paneel võimaldab valmistada 90-kraadiseid ümara servaga nurkasid. Sõltuvalt paneeli paksusest on paneel saadaval kas PIR soojustusega või mineraalvilltäitega.



SAATKE KONTAKTITAOTLUS

Üldandmed



Tabel 1 – olemasolevad mõõdud

Paneeli paksus D (mm)	A, B mõõdud – mooduli laius 1100 (mm)	A, B mõõdud – mooduli laius 1000 (mm)	Max pikkus L (mm)
60	561	511	6000
80	566	516	6000
100	570	520	6000
110	572	522	6000
120	574	524	6000
140	579	529	6000
150	581	531	6000
160	583	533	6000

Tabel 2 – olemasolevad DP V4 sandwich-paneelidest nurgalahenduste paksused ja soojustuse tüübid


Paksus (mm)	Soojustuse tüüp	DP V4
60	PIR	SP2B
80	PIR	SP2B
100	PIR	SP2B
110	PIR	SP2B
120	PIR	SP2E
140	PIR	SP2E
160	PIR	SP2E
80	mineraalvill	nSPB
100	mineraalvill	nSPB
110	mineraalvill	nSPB
120	mineraalvill	nSPB
140	mineraalvill	nSPB
150	mineraalvill	nSPB
160	mineraalvill	nSPB
170	mineraalvill	-
180	mineraalvill	-
200	mineraalvill	-
210	mineraalvill	-
230	mineraalvill	-

Kõik tooteomadused vastavad standardile EN 14509.


Värvid ja pinnakatted

Vertical corner panels Design Panels V4 can be manufactured with different coatings, profile options and colors. The availability of specific features is compliant with the options existing for


corresponding standard panels.




RAL1015 RR807




RAL3013 RR774




RAL5005 Signal blue




RAL6011 RR526



RAL7015 RR23




RAL7016 RR288




RAL7035 RR2B1



RAL9002 Grey white



RAL9006 RR946



RAL9007 Grey aluminium



RAL9010 RR1G5