


Design Panel DP H1

Design Panel H1 is suitable for horizontal installation. This panel enables to make corners with an angle from 90° to 170°. It can also be used as the cladding for columns. Depending on the thickness, the panel is available with PIR or mineral wool core.



SEND CONTACT REQUEST

Properties



Available dimensions

Panel thickness	Dimension A, B min (mm)	Dimension A, B max (mm)	Dimension A/B max (mm)	Angle
60, 80, 100, 110	180	700	700 / 700	90° - 170°
120, 140, 150, 160, 170	230	700	700 / 700	90° - 170°
180, 200, 210	260	650	650 / 650	90° - 170°
230	300	450	450 / 450	90° - 170°

Thicknesses and core types available for Design Panel DP H1

Thickness (mm)	Core type	DP H1
60	PIR	SP2B, SP2D
80	PIR	SP2B, SP2D
100	PIR	SP2B, SP2D
110	PIR	SP2B
120	PIR	SP2D, SP2E
140	PIR	SP2E
160	PIR	SP2E
80	mineral wool	nSPB
100	mineral wool	nSPB, nSPD
110	mineral wool	nSPB
120	mineral wool	nSPB, nSPD
140	mineral wool	nSPB
150	mineral wool	nSPB, nSPD
160	mineral wool	nSPB
170	mineral wool	nSPB
180	mineral wool	nSPB, nSPD
200	mineral wool	nSPB, nSPD
210	mineral wool	nSPB
230	mineral wool	nSPB, nSPD

Coatings, profiling and colors

Horizontal corner panels Design Panels H1 can be manufactured with different coatings, profile options and colors. The availability of specific features is compliant with the options existing for corresponding standard panels.

