

# Low profile T15-115-1134



T15-115-1134


- [Previous](#)
- [Next](#)

Low profiled sheets are designed for commercial and industrial buildings' facades and internal linings. Easy and fast to assemble, low profiled sheets are a perfect choice when both speed of construction and functionality are key.

The information on our website is accurate to the best of our knowledge and understanding. Although every effort has been made to ensure accuracy, the company cannot accept any responsibility for any direct or indirect damages resulting from possible errors or incorrect application of the information of this publication. We reserve the right to make changes.

- Properties
- Materials
- Colours & coatings
- Accessories
- Design tools
- Instructions
- Certificates & approvals

## PROPERTIES



Model name

Low profile T15-115-1134

Depth

13 mm

Effective width

1134 mm

Width of valley

25 mm

Width of crown

115 mm

Minimum length

600 mm

Maximum length

10000 mm

## MATERIALS

Material	Material thickness (mm)	Weight (kg/m <sup>2</sup> )	Surface treatment
Steel	0.45	3.89	Polyester
Steel	0.5	4.33	Galvanized
Steel	0.5	4.33	Polyester
Steel	0.6	5.19	Hiarc

## COLOURS & COATINGS

### GALVANIZED

Metal coating improves the corrosion resistance of steel and extends product lifetime. Zinc-coated steel sheets are suitable for

applications where corrosion resistance is required. The corrosion resistance provided by the zinc coating is in direct proportion to the thickness of the zinc layer.


## POLYESTER

Polyester for outdoor use is an economic coating for wall profiles in warehouses and other buildings. It is recommended for the construction industry. It is suitable for applications where coating is not used under extreme conditions, nor is there high requirement of long-term use. This coating offers a wide colour selection and budget price.

## HIARC

Hirac is recommended for the construction industry. It has supreme colour and gloss durability, and metallic colours are available. The Hirac colour coating has been developed especially for facades. It has excellent resistance to corrosion, excellent resistance to UV radiation and it is easily kept clean.


Coating	Colour
Galvanized	n/a
Polyester	RR11, RR20, RR21, RR22, RR23, RR29, RR32, RR33, RR750
HIARC	RR20, RR21, RR22, RR23, RR24, RR29, RR33, RR34, RR35, RR40, RR41, RR45



964e33


**RR750 Tile Red**





3d342d

**RR32 Dark Brown**




3a5043

**RR 11 Spruce Green**





ebe3d8

**RR20 White**




aaacaf

**RR21 Light Grey**




8a8f94

**RR22 Grey**




434a50

**RR23 Dark Grey**




f3b25f

**RR24 Light Yellow**




823125

**RR29 Red**




010000

**RR33 Black**



7a9eb4

**RR34 Light Blue**



135272

**RR35 Blue**



-

**RR40 Silver matt**



-

**RR41 Dark silver matt**



-

**RR45 Metallic graphite**

# ACCESSORIES

Facade cladding system, completed with flashings, fasteners and support studs, provides a fully finished facade, as well as quick and easy installation.

Ruukki's Design profile façade accessories can be used for low profile products.

- 07 Jun, 2017  
[EN\\_Cladding\\_Accessories\\_09\\_2019](#)  
PDF, 2.98 MB
- 15 Sep, 2016  
[Profiled sheets and purlins accessories](#)  
PDF, 4.80 MB

# DESIGN TOOLS

To make both architectural and structural design work easier, with accurate product information in 3D form, we offer a selection of CAD / BIM -objects and software tools, to be downloaded from the [Software Toolbox portal](#).

## Ready modelled BIM objects

[Download objects for ArchiCAD](#)

[Download objects for Revit](#)

## Detail drawings (.dwg)

- 06 May, 2016  
[Ruukki\\_low\\_profiles\\_dimensional\\_drawings\\_DWG](#)  
ZIP, 810.12 KB

## Detail drawings (.pdf)

- 06 May, 2016  
[Ruukki\\_low\\_profiles\\_dimensional\\_drawings\\_PDF](#)  
ZIP, 1.16 MB

# INSTRUCTIONS

- 06 May, 2016  
[Ruukki Profile sheet storage instruction](#)  
PDF, 220.76 KB

## Maintenance instructions

Maintenance instructions document contains information about:

- Washing
- Painting
- 06 May, 2016

Ruukki colour coated steel - Maintenance instructions

PDF, 600.37 KB

- 06 May, 2016

Ruukki powder coated facade claddings - Maintenance instructions

PDF, 602.18 KB

## CERTIFICATES & APPROVALS

### Declaration of performance

- 07 Dec, 2017

Declaration of Performance 28/PP/VIM - Low profiles

PDF, 233.13 KB

- 06 May, 2016

Declaration of Performance 8/PP/VIM - Low profiles

PDF, 254.62 KB

