

Profiled sheet Ruukki T20

For all types of buildings

Profile Ruukki T20 provides a straight lined solution for versatile roofing needs, ranging from modern private houses to refurbishment of rural buildings. Due to the linear and rigid form of the sheets, Profile T20 is aesthetically pleasing and easy to install, not only on new constructions, but also on existing rafters in renovation applications.

Available in Ruukki Quality Classes/variations: Ruukki 50 Plus, Ruukki 40, Ruukki 30 and Ruukki 30 Matt.

Product colour chart availability:


Ruukki 50 Plus, Ruukki 40, Ruukki 30 Matt: RR2H3 Anthracite, RR29 Red, RR23 Dark Grey, RR32 Brown, RR33 Black, RR750 Tile Red, RR887 Chocolate Brown

Ruukki 30: RR2H3 Anthracite, RR29 Red, RR23 Dark Grey, RR32 Brown, RR33 Black, RR750 Tile Red, RR887 Chocolate Brown, RAL9006 Silver, RAL9010 White




[REQUEST QUOTATION](#)

Properties



Product code	T20-29W-1095
Profile Height	17 mm
Width of crown	28.5 mm
Effective width	1095 mm
Total width	1129 mm
Maximum length	12000 mm
Minimum length	600 mm
Material thickness / weight per m2	0.5 mm / 4.5 kg


Coatings and colors



RR2H3 Anthracite



RR23 Dark Grey



RR29 Red



RR32 Dark Brown




RR33 Black



RR750 Tile Red



RR887 Chocolate Brown



RAL9006 Silver



RAL9010 Pure white RR1G5

Download documents