


Ruukki Classic Design C

Ruukki Classic Design C means high-quality roofing with grooves on its surface. The timeless style of roofing with a standing seam fits perfectly into the classic and modern architectural arrangement. Sophisticated technological solutions guarantee durability and reliability and create unlimited possibilities for the implementation of the ideas of investors and architects.

Available in three widths (475, 355 and 271 mm).

[More about Ruukki Classic Design >>](#)




[REQUEST QUOTATION](#)

Properties


| | |
|---|---|
| Product code | SR32-475C |
| Profile heigh | 32 mm |
| Effective width | 475 mm, 355 mm, 271 m |
| Total width | 512 mm, 392 mm, 308 mm |
| Min. length | 200 mm* |
| Max. length | 10 000 mm |
| Thickness / weight (kg/m ²) | 0.50 mm / 5.2 kg |
| Min. pitch | 8° |
| Sales unit | m ² |
| Other technical informations | Posibility to order with additional acoustic andicondensation felt which reduces noise and prevent water condensation at the bottom of profiles |

*small pieces under 800mm length are produced together in one united piece prepared for divide at construction site.

Coatings and colors




RR2H3 Anthracite



RR22 Grey



RR23 Dark Grey



RR29 Red



RR33 Black



RR887 Chocolate Brown

Download documents