

# Ruukki Frigge

Ruukki® Frigge is a modern and aesthetic, yet affordable steel roof. Simple and interesting form along with a wide range of coatings and colours of Ruukki® Frigge modular tilesheet are the features which meet the expectations of even the most exacting customers.

## UNIQUE FEATURES

Ruukki® Frigge is a modern modular roof tilesheet which fits perfectly to the current architectural trends and meets the needs of all customers. Ruukki® Frigge is a result of work of the innovation team, as well as the cooperation with customers, roofers and dealers. This cooperation resulted in a product of many unique features which have positive impact on the assembly process, the look of the whole roof and its use.

The most important features:

- modularity ensures that the roof is easy to transport and assemble, and the amount of waste is reduced to a minimum
- symmetrical shape allows for an assembly in any direction, i.e. from left to right, or from right to left
- large support surface on the roof battens increases the resistance to damage during assembly and allows for easier assemble of roof accessories
- wave cut improves the aesthetics of roof edge
- special assembly pressing holds the screws in right place during installation




**REQUEST QUOTATION**


# Properties

|                        |                |
|------------------------|----------------|
| Product code           | TS41-350-1185  |
| Profile Height         | 41 mm          |
| Step length            | 350 mm         |
| Effective width        | 1185 mm        |
| Total width            | 1213 mm        |
| Effective length       | 700 mm         |
| Total length           | 720 mm         |
| Sales unit             | m <sup>2</sup> |
| Area of the roof / pcs | 0.83 m2        |
| Minimum Slope Distance | 14°            |

# Coatings and colors




RR2H3 Anthracite



RR22 Grey



RR23 Dark Grey



RR29 Red



RR33 Black



RR750 Tile Red



RR887 Chocolate Brown

**Download documents**