



Design Panel DP H3

Design plokštė H3 skirta horizontaliam montavimui. Šios plokštės leidžia kurti užapvalintos geometrijos fasadus. Minimalus lenkimo spindulys 4500 mm. Priklausomai nuo storio plokštė gali būti su PIR ar mineralinės vatos šerdimi.



PATEIKTI UŽKLAUSĄ

Savybės



Lentelė 1 – galimi matmenys

Plokštės storis D (mm)	Maks. ilgis L (mm)	Min. spindulys R (mm)
80, 100, 110, 120, 140	6000	4500
150, 160, 170, 180, 200	3000	4500

Lentelė 2 – Design plokštės DP H3 galimi storiai ir šerdies tipai


Storis (mm)	Šerdies tipas	DP H3
60	PIR	-
80	PIR	SP2B, SP2D
100	PIR	SP2B, SP2D
110	PIR	SP2B
120	PIR	SP2D, SP2E
140	PIR	-

160	PIR	-
80	mineralinė vata	nSPB
100	mineralinė vata	nSPB, nSPD
110	mineralinė vata	nSPB
120	mineralinė vata	nSPB, nSPD
140	mineralinė vata	nSPB
150	mineralinė vata	nSPB, nSPD
160	mineralinė vata	nSPB
170	mineralinė vata	nSPB
180	mineralinė vata	nSPB, nSPD
200	mineralinė vata	nSPB, nSPD
210	mineralinė vata	-
230	mineralinė vata	-


All properties are declared in accordance with EN 14509 and related standards.

Spalvos ir padengimai


Horizontal panels Design Panels H3 can be manufactured with different coatings, profile options and colors. The availability of specific features is compliant with the options existing for corresponding standard panels. NOTE: L25 is not available on internal face.




RAL1015 RR807




RAL3013 RR774




RAL5005 Signal blue




RAL6011 RR526



RAL7015 RR23




RAL7016 RR288




RAL7035 RR2B1



RAL9002 Grey white



RAL9006 RR946



RAL9007 Grey aluminium



RAL9010 RR1G5